
Bolon Studio™ Rectangle

Installation Guidelines

BOLON

Bolon

Bolon is woven vinyl product backed with glass fibre-reinforced PVC. Since the material is a woven product, its structure is naturally irregular. BOLON Studio™ shapes are cut from roll material and should be installed with a permanent adhesive. They are not suitable for loose lay installation with pressure sensitive adhesive or wet rooms. Suitable adhesives include acrylic, or PU, if installation is subject to conditions which may cause product to move (e.g. strong heat/light).



The dotted lines shows the direction of the weft yarn. The weft, is the thinner yarn, which is drawn through the warp, the thicker yarn. Depending on the direction of the weft, a different effect can be seen.

Design

Bolon Studio™ Rectangle is a classic flooring shape that can be laid in different directions and repeated at half distance. The design possibilities are endless with this versatile shape which can be combined with different collections. Depending on the collection, direction of weft and lighting, different effects can be achieved with the Bolon Studio™ Rectangle.

Fast Facts

- Material Made of woven vinyl with roll backing, for use of permanent adhesive.
- Order Sold by the box = 39 pieces/5.46 m².
 Includes 18 pieces with long weft and 21 pieces with short weft.

Preparation

The general sub-floor and environmental requirements for the installation of Bolon are as stated in AS1884 - Floor coverings - Resilient sheet and tiles - Laying and maintenance practices.

- The sub-floor must be clean, dry and free from cracks.
- Any adhesion-impairing spots (paint, oil, etc.), dust and concrete curing agents should be removed. Asphalt, oil
 spills, impregnating agents, solvent-based paints and felt pen markings can cause discolouration of the
 material. Please ensure these are removed mechanically removed prior to installation.
- Relative humidity of the concrete substrate should not exceed 75% when measured using the insitu probe test according to AS 1884: 2012.
- The sub-floor should be tested prior to installation. If the moisture content level cannot be achieved naturally, an appropriate moisture barrier for the sub-floor will be necessary. Bolon will also accept a moisture level of 5.5% or less when measured by electrical resistance meter.
- Use pencil/chalk for any markings. Before installation, material, adhesive and sub-floor must be allowed to adjust to room temperature (at least +18°C) for a minimum of 24 hours.

Installation

- Ensure the tiles have adjusted to room temperature before installation and boxes of shapes are on a level surface. Acclimatisation can take several days for complete pallets.
- It is important to sort the boxes according to weave direction so that the shapes can be installed using roughly equal numbers of shapes with each weave direction. See attached diagrams for more information.
- Please refer to floor plans for specific design/layout specification.

Bolon Studio[™] shapes can be installed using traditional installation methods for modular flooring tiles. Please note that there is no requirement for cold welding this type of installation, as there is for straight roll laying. There is similarly no requirement to overlap and double cut the shapes, they simply butt together.

- It is usual to begin installation from the centre of the room, but any set out point can be used. In corridors and small rooms it may be simpler to work from one side to the other and use the centre line as a guide mark..
- The centre line can be drawn out as follows: Draw a line from the centre between two of the walls. Then draw the second line to form a cross with the other line. To achieve a 90 degrees right angle, the 3:4:5 method can be used.
- Begin laying tiles at the centre point. Work outwards from the first tile, creating a pyramid. Continue in this way until the first quarter of the floor is complete. Be careful to follow the guidelines and ensure that the tiles fit closely together. If the first shapes do not follow the guidelines, this will affect the whole installation. Only spread adhesive over an area of a size that can be covered with tiles while the adhesive retains the right consistency. Please note that many of the floor designs achieved with Bolon Studio™ involve a random use of the shapes in different colours and weaves. Bear in mind when installing that roughly equal numbers of shapes of each colour and weave should be used over any one given area, so as to ensure there is no imbalance in shape availability as the installation progresses.
- As it takes time to cut shapes at the perimeter, it may be best to spread adhesive on the area where complete tiles will be laid first. Once this is done, cut all edge tiles and lay them at the same time.
- · After installation, run over all joints lengthways and crossways with a standard vinyl roller.


Design your own flooring using the <u>Bolon Tile Design Tool</u> or visit our <u>website</u> for more inspiration.



Bolon Create Fabrico, Artisan Petroleum and Artisan Ivory



Bolon Create Comar





General Advice

Stairs
 Bolon Studio™ is not generally recommended for stair applications, but if the material

is being installed on steps, stair nosings must be used, installed with a contact

adhesive.

Non Concrete
 Substrate

Bolon can be installed over any smooth, level surface, including timber, metal, and access floor, and in any plane from horizontal to vertical. For specific guidelines on

your particular application, please contact Customer Service Team at

The Andrews Group

+61 (03) 9827 1311 | bolon@theandrewsgroup.com.au

• Underfloor Heating For areas with underfloor heating, the temperature at the surface should not exceed

29 °C. Any underfloor heating systems should be commissioned at least a week prior to flooring installation, and turned off for that time, and for a week following installation. For further information, please contact Customer Service Team at The

Andrews Group

+61 (03) 9827 1311 | bolon@theandrewsgroup.com.au

Protection
 The material, once installed, must be protected from other works which may be in

progress, until handover to the client. Appropriate protection includes corflute sheet,

and composite fibreboard.

Adhesive: Acrylic Mapei Ultrabond ECO 380, Uzin KE2000S

PU (2 part) Mapei Adesilex G19

www.mapei.com.au