

Bolon Fact Sheet

BKB Collection

BOLON


BKB Collection

Bolon


Bolon is a high-performance flooring that is durable, easy to clean, hygienic and sustainable. With a broad palette of shapes, colours and expressions, the design possibilities are endless.

The BKB collection includes 8 articles and is available in roll and tile form.


BKB Collection




Sisal Plain Granite



Sisal Natur Black




Sisal Plain Steel



Metallic Alpha



Sisal Plain Mole



Sisal Plain Sand



Sisal Plain Black



Sisal Plain Beige

BKB Collection

Design

The BKB Collection is inspired sisal and coir mats for its discreet versatility. As Bolon's first collection, the broad colour palette is classic and has a wide range of applications.

Fast Facts

- Roll Roll size = 25 m x 2 m at 2.5 mm thick.
Weight of rolls = 2.9 kg/m².
- Tile Standard tile size = 500 x 500 mm at 3 mm thick.
Weight of tiles = 3.9 kg/m².
Tiles sold by the box = 20 tiles/5 m².
- Studio Available in Bolon Studio shapes.
Visit bolon.theandrewsgroup.com.au or contact The Andrews Group for details.

BKB Collection

Technical Specifications

Article Name		Roll	Tile	Wear Class		Wear Rating	Warranty Years	W.O.R. Slip	Pend Test Wet Slip	Sound Reduction	Sound Absorption	Fire Rating NCC C1.10a
				Roll	Tile							
BKB	Sisal Plain Granite	✓	✓	32	32	HD	10	R10	P3	12dB	5%	Pass
	Sisal Plain Mole	✓	✓	32	32	HD	10	R10	P3	12dB	5%	Pass
	Sisal Plain Black	✓	✓	32	32	HD	10	R10	P3	12dB	5%	Pass
	Sisal Plain Sand	✓	✓	32	32	HD	10	R10	P3	12dB	5%	Pass
	Sisal Plain Steel	✓	✓	32	32	HD	10	R10	P3	12dB	5%	Pass
	Sisal Natur Black	✓	✓	32	32	HD	10	R10	P3	12dB	5%	Pass
	Metallic Alpha	✓	✓	32	32	HD	10	R10	P3	12dB	5%	Pass
	Sisal Plain Beige	✓	✓	32	32	HD	10	R10	P3	12dB	5%	Pass

- Wear Rating

Classified 32 under international standard EN685 rating, the BKB Collection can be used in all areas of commercial and residential applications. Please contact The Andrews Group for specific recommendations on area and colour selection.
- Warranty

The BKB Collection is warranted for 10 years in areas defined as fit for purpose. The terms and conditions of this warranty are available on request.
- Fire Rating

The BKB Collection has a Critical Radiant Flux (CRF) rating of 8.4 kW/m², and a smoke developed rating of 189 %mins, as tested to ISO9239.1. This allows the product to be installed in any areas of a commercial building under the requirements of the National Construction Code (NCC).

BKB Collection

Technical Specifications

- Slip Rating

The BKB Collection is rated R10 under the Wet Oil Ramp test as defined in AS4586. The BKB Collection is rated P3 under the Wet Pendulum Test as defined in AS4586. These ratings indicate a reduced risk of slip with this product.
- Sound Rating

The BKB Collection reduces impact sound by 12 decibels when adhered directly to a concrete slab. The BKB Collection reduces airborne sound by 5% when adhered to a concrete slab.
- Installation

Please refer to Bolon Installation Guidelines or contact the Customer Service Team at The Andrews Group
+61 (03) 9827 1311 | bolon@theandrewsgroup.com.au
- Maintenance

Please refer to Bolon Maintenance Guidelines or contact the Customer Service Team at The Andrews Group
+61 (03) 9827 1311 | bolon@theandrewsgroup.com.au