

Bolon Fact Sheet

Bolon by Patricia Urquiola

BOLON


Bolon by Patricia Urquiola

Bolon

Bolon is a high-performance flooring that is durable, easy to clean, hygienic and sustainable. With a broad palette of shapes, colours and expressions, the design possibilities are endless.

The Artisan collection includes 4 articles and is available in roll format.

Bolon by Patricia Urquiola Collection



Grey Sashiko

Light Sashiko

Nude Sashiko

Sage Sashiko

Design

One of the most influential designers and architects of our time, Patricia Urquiola collaborates with Bolon to create a new flooring collection inspired by the Japanese tradition of Sashiko. With a soft colour palette, characteristic stitching details and patch-like patterns portrayed across 4 new articles, the collection adds softness, warmth, and sophistication to large scale projects.

Available in roll format, the collection contains recycled material, is easy to maintain, boasts high-performance benefits and has a 15-years warranty.

Fast Facts

- Roll Roll size = 25 m x 2 m at 2.4 mm thick.
Weight of rolls = 3.1 kg/m².

Bolon by Patricia Urquiola

Technical Specifications

Article Name	Roll	Wear Class	Wear Rating	Warranty Years	W.O.R. Slip	Pend Test Wet Slip	Sound Reduction	Sound Absorption	Fire Rating NCC C1.10a	
Bolon by Patricia Urquiola	Grey Sashiko	✓	33	EHD	15	R10	P2	12dB	5%	Pass
	Light Sashiko	✓	33	EHD	15	R10	P2	12dB	5%	Pass
	Nude Sashiko	✓	33	EHD	15	R10	P2	12dB	5%	Pass
	Sage Sashiko	✓	33	EHD	15	R10	P2	12dB	5%	Pass

- **Wear Rating** Classified 33 under international standard EN685 rating, the Patricia Urquiola Collection can be used in all areas of commercial and residential applications. Please contact The Andrews Group for specific recommendations on area and colour selection.
- **Warranty** The Bolon by Patricia Urquiola collection is warranted for 15 years in areas defined as fit for purpose. The terms and conditions of this warranty are available on request.
- **Fire Rating** The Bolon by Patricia Urquiola Collection has a Critical Radiant Flux (CRF) rating of 8.0 kW/m², and a smoke developed rating of 189 %mins, as tested to ISO9239.1. This allows the product to be installed in any areas of a commercial building under the requirements of the National Construction Code (NCC).

Bolon floorcoverings have also been fire tested to AS 5637.1 - 2015 for use on wall applications. They achieve a Group 3 rating under this standard. Please contact the Customer Service Team at The Andrews Group for further details.

Bolon by Patricia Urquiola

Technical Specifications

- Slip Rating The Bolon by Patricia Urquiola is rated R10 under the Wet Oil Ramp test as defined in AS4586. Bolon by Patricia Urquiola is rated P2 under the Wet Pendulum Test as defined in S4586. These ratings indicate a reduced risk of slip with this product.
- Sound Rating Bolon by Patricia Urquiola Collection reduces impact sound by 12 decibels when adhered directly to a concrete slab. The Graphic Collection reduces airborne sound by 5% when adhered to a concrete slab. These measurements are defined by ISO717.1/2, and mean that the product contributes positively to sound insulation in commercial and residential buildings.
- Installation Please refer to Bolon Installation Guidelines or contact the Customer Service Team at The Andrews Group
+61 (03) 9827 1311 | bolon@theandrewsgroup.com.au
- Maintenance Please refer to Bolon Maintenance Guidelines or contact the Customer Service Team at The Andrews Group
+61 (03) 9827 1311 | bolon@theandrewsgroup.com.au