

Bolon Fact Sheet

Diversity Collection

BOLON

Diversity Collection

Bolon

Bolon is a high-performance flooring that is durable, easy to clean, hygienic and sustainable. With a broad palette of shapes, colours and expressions, the design possibilities are endless.

The Diversity collection includes 12 articles and is available in roll, tile and Bolon Studio shapes.



Bling Amber



Bling Garnet



Bling Topaz



Bouquet Blush



Bouquet Pure



Buzz Chestnut



Buzz Grass



Buzz Ice



Buzz Olive



Buzz Pebble



Buzz Spice



Buzz Straw

BOLON

Diversity Collection

Design

Visually, Diversity has a theme of togetherness. It expresses itself in the collection's aesthetic flexibility. Diversity's contemporary colour palette and carefully considered design characteristics mean that different patterns from the collection can be combined and installed in the same area. The beautiful harmony these combinations create not only leads to stunning interiors – it also allows the flooring to elevate itself from mere backdrop to strong design element. There are 3 main designs:

- **Bling** Bling's twisted, chain links are large in scale and bold in execution.
Available in roll format
- **Buzz** Buzz has a feathered, more uniform pattern with a shimmering, glossy weft.
Available in roll, 500 x 500mm tile and Bolon Studio shapes
- **Bouquet** Bouquet's floral motifs are subtle and diffuse almost like a watercolour painting

Fast Facts

- **Roll** Roll size = 25 m x 2 m at 2.5 mm thick.
Weight of rolls = 2.9 kg/m².
- **Tile** Standard tile size = 500 x 500 mm at 3 mm thick.
Weight of tiles = 3.9 kg/m².
Tiles sold by the box = 20 tiles/5 m².
- **Studio** Available in Bolon Studio shapes.
Visit bolon.theandrewsgroup.com.au or contact The Andrews Group for details.

BOLON

Diversity Collection

Technical Specifications

Article Name	Roll	Tile	Studio	Wear Class		Wear Rating	Warranty Years	W.O.R. Slip	Pend Test Wet Slip	Sound Reduction	Sound Absorption	Fire Rating NCC C1.10a
				Roll	Tile							
Diversity Bling Amber	✓			33		EHD	15	R10	P3	12-14dB	5%	Pass
Diversity Bling Garnet	✓			33		EHD	15	R10	P3	12-14dB	5%	Pass
Diversity Bling Topaz	✓			33		EHD	15	R10	P3	12-14dB	5%	Pass
Diversity Bouquet Blush	✓		✓	33		EHD	15	R10	P3	12-14dB	5%	Pass
Diversity Bouquet Pure	✓		✓	33		EHD	15	R10	P3	12-14dB	5%	Pass
Diversity Buzz Chestnut	✓	✓	✓	33	33	EHD	15	R10	P3	12-14dB	5%	Pass
Diversity Buzz Grass	✓	✓	✓	33	33	EHD	15	R10	P3	12-14dB	5%	Pass
Diversity Buzz Ice	✓	✓	✓	33	33	EHD	15	R10	P3	12-14dB	5%	Pass
Diversity Buzz Olive	✓	✓	✓	33	33	EHD	15	R10	P3	12-14dB	5%	Pass
Diversity Buzz Pebble	✓	✓	✓	33	33	EHD	15	R10	P3	12-14dB	5%	Pass
Diversity Buzz Spice	✓	✓	✓	33	33	EHD	15	R10	P3	12-14dB	5%	Pass
Diversity Buzz Straw	✓	✓	✓	33	33	EHD	15	R10	P3	12-14dB	5%	Pass

- Wear Rating** Classified 33 under international standards, it is able to be used in all areas of commercial and residential applications. Please contact The Andrews Group for specific recommendations on area and colour selection.
- Warranty** The Diversity Collection is warranted for 15 years in areas defined as fit for purpose. The terms and conditions of this warranty are available on request.
- Fire Rating** The Diversity Collection has a Critical Radiant Flux (CRF) rating of 6.7 kW/m², and a smoke developed rating of 205 %mins, as tested to ISO9239.1. This allows the product to be installed in any areas of a commercial building under the requirements of the National Construction Code (NCC).

Bolon floorcoverings have also been fire tested to AS 5637.1 - 2015 for use on wall applications. They achieve a Group 3 rating under this standard. Please contact the Customer Service Team at The Andrews Group for further details.
 +61 (03) 9827 1311 | bolon@theandrewsgroup.com.au

Diversity Collection

Technical Specifications

- Slip Rating** Diversity Collection is rated R10 under the Wet Oil Ramp test as defined in AS4586. The Diversity Collection is rated P2 under the Wet Pendulum Test as defined in AS4586 (2013). These ratings indicate a reduced risk of slip with this product.
- Sound Rating** Diversity Collection reduces impact sound by 12 decibels (roll) and 14 decibels (tile) when adhered directly to a concrete slab. The Diversity Collection reduces airborne sound by about 5% when adhered to a concrete slab. These measurements are defined by ISO717.1/2, and mean that the product contributes positively to sound insulation in commercial and residential buildings.
- Installation** Please refer to Bolon Installation Guidelines or contact the Customer Service Team at The Andrews Group
 +61 (03) 9827 1311 | bolon@theandrewsgroup.com.au
- Maintenance** Please refer to Bolon Maintenance Guidelines or contact the Customer Service Team at The Andrews Group
 +61 (03) 9827 1311 | bolon@theandrewsgroup.com.au