

Bolon Fact Sheet

Truly Collection

BOLON


Truly Collection

Bolon


Bolon is a high-performance flooring that is durable, easy to clean, hygienic and sustainable. With a broad palette of shapes, colours and expressions, the design possibilities are endless.

The Truly collection includes 5 articles and is available in roll, tile (excl. Anything Everything) and with ISI comfort backing.

Truly Collection



100 Percent




Anything Everything



Disrupt and Discover



I See You



Precis

Truly Collection

Design

Design with enough boldness to dare. Five intuitive design expressions – the singular faces of Bolon – playing with spatial perception. An intimate experience.

See magnified formations, savour colour effects, hyper texture, scale study and light direction in a way we have not risked before. This is Bolon.

Fast Facts

- Roll Roll size = 25 m x 2 m at 2.5 mm thick.
Weight of rolls = 3.0 kg/m².

- Tile Standard tile size = 500 x 500 mm at 3 mm thick.
Weight of tiles = 4.0 kg/m².
Tiles sold by the box = 20 tiles/5 m².

Also available with Acoustic Backing.

Standard tile size = 500 x 500 mm at 5.2 mm thick.

Weight of tiles = 3.7 kg/m².

Tiles sold by the box = 12 tiles/3m².

Truly Collection

Technical Specifications

Article Name	Roll	Tile	Wear Class		Wear Rating	Warranty Years	W.O.R. Slip	Pend Test Wet Slip	Sound Reduction	Sound Absorption	Fire Rating NCC C1.10a
			Roll	Tile							
Truly 100 percent	✓	✓	33	33	EHD	15	R10	P2	11dB	5%	Pass
Anything Everything	✓	✓	33	33	EHD	15	R10	P2	11dB	5%	Pass
Disrupt and Discover	✓	✓	33	33	EHD	15	R10	P2	11dB	5%	Pass
I See You	✓	✓	33	33	EHD	15	R10	P2	11dB	5%	Pass
Precis	✓	✓	33	33	EHD	15	R10	P2	11dB	5%	Pass

- Wear Rating** Classified 33 under international standard EN685 rating, the Emerge Collection can be used in all areas of commercial and residential applications. Please contact The Andrews Group for specific recommendations on area and colour selection.
- Warranty** The Truly Collection is warranted for 15 years in areas defined as fit for purpose. The terms and conditions of this warranty are available on request.
- Fire Rating** The Truly Collection has a Critical Radiant Flux (CRF) rating of 6.7 kW/m², and a smoke developed rating of 205 %mins, as tested to ISO9239.1. This allows the product to be installed in any areas of a commercial building under the requirements of the National Construction Code (NCC).

Truly Collection

Technical Specifications

- Slip Rating The Truly Collection is rated R10 under the Wet Oil Ramp test as defined in AS4586. The Truly Collection is rated P2 under the Wet Pendulum Test as defined in AS4586 (2013). These ratings indicate a reduced risk of slip with this product.
- Sound Rating The Truly Collection reduces impact sound by 11 decibels when adhered directly to a concrete slab. The Truly Collection reduces airborne sound by 5% when adhered to a concrete slab. These measurements are defined by ISO717.1/2, and mean that the product contributes positively to sound insulation in commercial and residential buildings.
- Installation Please refer to Bolon Installation Guidelines or contact the Customer Service Team at The Andrews Group
+61 (03) 9827 1311 | bolon@theandrewsgroup.com.au
- Maintenance Please refer to Bolon Maintenance Guidelines or contact the Customer Service Team at The Andrews Group
+61 (03) 9827 1311 | bolon@theandrewsgroup.com.au