

Bolon Fact Sheet

Bolon By You

BOLON

Bolon By You


Bolon

Bolon is a textured woven flooring, consisting a profile section PVC warp (vertical weave), with a PVC encased polyester weft (horizontal weave) fixed to a plasticised PVC backing with an interlayer of fibreglass. The Bolon By You collection includes 10 patterns and is available in roll and tile form.

Roll




Dot



Geometric




Grid




Lace



Stripe




Weave




Calm

Tile



Poppy



Stitch



Field



Calm

Bolon By You

Design

Bolon By You is a bespoke collection that enables the realisation of aesthetic visions and previously unattainable levels of personalisation. With 10 patterns four warp weave colours and 12 weft weave colours, The collection offers the chance to create flooring that truly reflects the requirements of their projects – both aesthetic and functional. From graphic, linear expressions to organic, softer forms and playful elements, Bolon By You encourages designers to explore and create.

Fast Facts

- Roll Roll size = 25 m x 2 m at 2.5 mm thick.
 Weight of rolls = 2.9 kg/m².
- Tile Standard tile size = 500 x 500 mm at 3 mm thick.
 Weight of tiles = 3.9 kg/m².
 Tiles sold by the box = 20 tiles/5 m².

Bolon By You

Technical Specifications

Article Name	Roll	Tile	Wear Class		Wear Rating	Warranty Years	W.O.R. Slip	Pend Test Wet Slip	Sound Reduction	Sound Absorption	Fire Rating NCC C1.10a	
			Roll	Tile								
Bolon By You	Lace	✓	X	33	-	EHD	15	R10	P2	12dB	5%	Pass
	Weave	✓	X	33	-	EHD	15	R10	P2	12dB	5%	Pass
	Dot	✓	X	33	-	EHD	15	R10	P2	12dB	5%	Pass
	Geometric	✓	X	33	-	EHD	15	R10	P2	12dB	5%	Pass
	Stripe	✓	X	33	-	EHD	15	R10	P2	12dB	5%	Pass
	Grid	✓	X	33	-	EHD	15	R10	P2	12dB	5%	Pass
	Field	X	✓	-	33	EHD	15	R10	P2	12dB	5%	Pass
	Stitch	X	✓	-	33	EHD	15	R10	P2	12dB	5%	Pass
	Poppy	X	✓	-	33	EHD	15	R10	P2	12dB	5%	Pass
	Calm	✓	✓	33	33	EHD	15	R10	P2	12dB	5%	Pass

- Wear Rating** Classified 33 under international standard EN685 rating, the Bolon By You Collection can be used in all areas of commercial and residential applications. Please contact The Andrews Group for specific recommendations on area and colour selection.
- Warranty** The Bolon By You Collection is warranted for 15 years in areas defined as fit for purpose. The terms and conditions of this warranty are available on request.
- Fire Rating** The Bolon By You Collection has a Critical Radiant Flux (CRF) rating of 8 kW/m², and a smoke developed rating of 189 %mins, as tested to ISO9239.1. This allows the product to be installed in any areas of a commercial building under the requirements of the National Construction Code (NCC).

Bolon By You

Technical Specifications

- Slip Rating The Bolon By You Collection is rated R10 under the Wet Oil Ramp test as defined in AS4586. The Bolon By You Collection is rated P2 under the Wet Pendulum Test as defined in AS4586 (2013). These ratings indicate a reduced risk of slip with this product.
- Sound Rating The Bolon By You Collection reduces impact sound by 12 decibels when adhered directly to a concrete slab. The Bolon By You Collection reduces airborne sound by 5% when adhered to a concrete slab. These measurements are defined by ISO 717.1/2, and mean that the product contributes positively to sound insulation in commercial and residential buildings.
- Installation Please refer to Bolon Installation Guidelines or contact the Customer Service Team at The Andrews Group
+61 (03) 9827 1311 | bolon@theandrewsgroup.com.au
- Maintenance Please refer to Bolon Maintenance Guidelines or contact the Customer Service Team at The Andrews Group
+61 (03) 9827 1311 | bolon@theandrewsgroup.com.au