### **Bolon Fact Sheet**

Ethnic Collection

# BOLON

#### Bolon

Bolon is a textured woven flooring, consisting a profile section PVC warp (vertical weave), with a PVC encased polyester weft (horizontal weave) fixed to a plasticised PVC backing with an interlayer of fibreglass. The Ethnic collection includes 4 articles and is available in roll and tile form.

#### **Ethnic Collection**









Gabna

Abisko

Saivo

Kaise

#### Design

Inspired by the natural landscape of Northern Sweden, the Ethnic Collection uses earthy tones reminiscent of earth, stone and rock and a metallic shimmer representative of Nordic light.

#### **Fast Facts**

• Roll	Roll size = 25 m x 2 m at 2.5 mm thick. Weight of rolls = 2.9 kg/m².
• Tile	Standard tile size = 500 x 500 mm at 3 mm thick. Weight of tiles = 3.9 kg/m². Tiles sold by the box = 20 tiles/5 m².
Studio	Available in Bolon Studio shapes. Visit <u>bolon.theandrewsgroup.com.au</u> or contact The Andrews Group for details.

### BOLON

#### **Technical Specifications**

Article	Nama	ne Roll	Tile	Wear Class		Wear Rating	Warranty Years	W.O.R. Slip	Pend Test Wet Slip	Sound Reduction	Sound Absorption	Fire Rating NCC C1.10a
AI LICIE Maille		KUI	The	Roll	Tile							
Ethnic	Gabna	$\checkmark$	Х	32	-	HD	10	R10	P3	12dB	5%	Pass
	Abisko	$\checkmark$	$\checkmark$	32	32	HD	10	R10	P3	12dB	5%	Pass
	Saivo	$\checkmark$	Х	32	-	HD	10	R10	P3	12dB	5%	Pass
	Kaise	1	Х	32	-	HD	10	R10	P3	12dB	5%	Pass

- Wear Rating
   Classified 32 under international standard EN685 rating, the Ethnic Collection can be used in all areas of commercial and residential applications. Please contact The Andrews Group for specific recommendations on area and colour selection.
- Warranty The Ethnic Collection is warranted for 10 years in areas defined as fit for purpose.
   The terms and conditions of this warranty are available on request.
- Fire Rating The Ethnic Collection has a Critical Radiant Flux (CRF) rating of 7.4 kW/m<sup>2</sup>, and a smoke developed rating of 189 %mins, as tested to ISO9239.1. This allows the product to be installed in any areas of a commercial building under the requirements of the National Construction Code (NCC).

### BOLON

#### **Technical Specifications**

Slip Rating	The Ethnic Collection is rated R10 under the Wet Oil Ramp test as defined in
	AS4586. The Ethnic Collection is rated P3 under the Wet Pendulum Test as defined
	in AS4586 (2013). These ratings indicate a reduced risk of slip with this product.
Sound Rating	The Ethnic Collection reduces impact sound by 12 decibels when adhered directly
	to a concrete slab. The Ethnic Collection reduces airborne sound by 5% when
	adhered to a concrete slab.
<ul> <li>Installation</li> </ul>	Please refer to Bolon Installation Guidelines or contact the Customer Service Team
	at The Andrews Group
	+61 (03) 9827 1311   <u>bolon@theandrewsgroup.com.au</u>
Maintenance	Please refer to Bolon Maintenance Guidelines or contact the Customer
	Service Team at The Andrews Group
	+61 (03) 9827 1311   bolon@theandrewsgroup.com.au